

Laboratory Test Sheet

PARTICLE SIZE DISTRIBUTION BS 1377 : PART 2 : 1990

Method 9.2 / 9.3 / 9.5*

Client : <u>Alfred McAlpine Civil Engineering</u>	Site : <u>Stanton North Phase II</u>	
Client Ref : <u>12345</u>	Lab. Ref : <u>10073</u>	Date Received : <u>04/09/1996</u>
Supplier :	Job No : <u>B4240/96V</u>	
Material Type : <u>Sub-base</u>	Source :	
Material Name : <u>Type 1 Sub-base</u>	Specification : <u>Type 1 Sub-base</u>	
	Stone Type : <u>Not Known</u>	

Tray No. :	Tray Wt. :	Tray + Wet Wt. :
Tray + Dry Wt. : 1	Unwashed Dry Wt. (M1) :	

BS 1377 Test Method 1*

Wt. Retained 20 mm (M4) :	Tray No. :	
Wt. Passing 20 mm (MA) :	Tray No. :	
Wt. Passing 20 mm after Riffing (MB)	Riffle - MA/MB =	Wt. Passing 20 mm after Wash (M5) :
Loss of Fines (MA - M5) :	Total Loss of Fines (M3) :	(MB-M5)xRiffle

BS 1377 Test Method 2*

Int. Dry Wt. Ret. 20 mm (MA) :	Tray No. :	
Int. Dry Wt. Passing 20 mm (MB) :	Tray No. :	
Fines Washed from Ret. 20 mm (MC) :	Tray No. :	
Dry Wt. Ret. 20 mm (M4) (MA-MC)	Tray No. :	
Dry Wt. pass. 20 mm (MD) (MB+MC)	Tray No. :	
Wt. Passing 20 mm after Riffing (ME) :	Riffle - MD/ME =	Wt. Passing 20 mm after Washing (M5) :
Loss of Fines (ME-M5) :	Total Loss of Fines (3) :	(ME-M5)xRiffle

BS Sieve	Max. Wt.	Weight Retained (g)		% Ret.	% Passing		Specification % Passing
		Increments	Total		Actual	Reported	
200 mm	5000 g						
150 mm	5000 g						
125 mm	5000 g						
100 mm	5000 g						
90 mm	5000 g						
75 mm	5000 g						
63 mm	5000 g						
50 mm	5000 g						
37.5 mm	4000 g						
28 mm	3000 g						
20 mm	2500 g						
Riffle Weight passing 20 mm Test Sieve =		Weight after Riffle =		Riffle Factor =			
14 mm	2000 g						
10 mm	1500 g						
6.3 mm	1000 g						
Riffle Weight passing 6.3 mm Test Sieve =		Weight after Riffle =		Riffle Factor =			
5 mm	750 g						
3.35 mm	550 g						
2.36 mm	450 g						
1.7 mm	375 g						
1.18 mm	300 g						
600 µm	225 g						
425 µm	180 g						
300 µm	150 g						
212 µm	130 g						
150 µm	110 g						
75 µm	75 g						
Passing 75 µm							
Loss of Fines (M3)							
TOTALS						Total in column 3 must = mass M1	

Comments : _____

Tested By : _____ Date : _____ Checked By : _____ Date : _____

Notes : * - Delete as applicable
 1 - Use attached form for interim constant dry weight checks.
 2 - For 300 mm dia. Sieves.
 3 - Particles to be weighed to 0.1 % of their mass to max. acc. of 0.01 g.
 4 - Where weight on the sieve is greater than allowed each increment sieved must be recorded on this form then tot

Check Level (1 / 2 / 3) *